

Articles	Probable quantity required for the year
Naphermanni per lb. tin ...	... 20 tins.
Blue do ...	... 15 "
Nandi wood, per cubic foot ...	... 500 c. ft.

Note.—Any other articles required for manufactures or other purposes in the Jail, shall be supplied by the contractor at market rates, should the Superintendent require him to do so.

MAHOMED USMAN,
Superintendent.

KADUR DISTRICT.

Notification dated 8th September 1916.

It is hereby notified that a sum of Rs. 5-10-4, due to one Sheik Baba Sabi of Udipi, South Canara for having repaired certain vessels of the Narasimharajapura travellers' bungalow in January 1915 is lying unclaimed in the office of the Deputy Amildar, Narasimharajapura Sub-Taluk and that unless the amount is claimed within three months of the publication of the notice the same will be credited to Government.

T. ABDUL KHADIR,
For Offg. Deputy Commissioner.

Notice.

Tenders are invited for the supply of lubricating oils, etc., required in the Mysore Government Electrical Department, Bangalore, from October 1916 to end of June 1917.

These should be submitted so as to reach the undersigned not later than 12 noon on the 30th September 1916 on printed forms to be obtained on application with full particulars.

S. G. FORBES,
Chief Electrical Engineer
to the Government of Mysore.

WATER SUPPLY DIVISION.

Abstract Notification.

The attention of the public is invited to the Notification dated 30th August 1916, calling for tenders for the supply of Charcoal for Davangere Water Works up to 12 noon of 15th October 1916, published on pages 661 and 662, Part IV of the *Mysore Gazette*, dated 7th September 1916.

M. K. NARASIMHA IYER,
For Executive Engineer.

KOLAR DIVISION.

Dated 4th September 1916.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Kolar Division, up to 25th September 1916, for restoring the Hosur, Kannikere Tank, Registered No. 36 of Goribidnur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1917.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees five hundred in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring the Hosur, Kannikere Tank, Registered No. 36 of Goribidnur Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract estimate of quantities for restoring Hosur, Kanniker Tank, Registered No. 36 of the Goribidnur Taluk.

Items of work	Per	Quantity
<i>Bund.</i>		
Earthwork to bund including watering and tamping ...	C. yd.	32,628
Jungle clearing ...	Lump sum	
Turfing ...	S. yd.	20,043
New stone work ...	C. yd.	2,473
Old do ...	"	1,094
Jelly wedging ...	"	1,324
Gravel backing ...	"	1,411
Grade stones with bed slabs including dressing, painting, etc. ...	Each	48
Index stones ...	"	48
Registered number stone ...	"	1
Gauge stone ...	"	2
B. M. stones ...	"	2
<i>Sluices.</i>		
Repairing sluices ...	"	2
Providing plug with locking arrangements ...	"	2
<i>Constructing left weir, 150 feet R. L. 52'50.</i>		
Benching rock ...	S. ft.	304
Burnt brick in surki ...	C. ft.	543
Burnt stone slabs including dressing and fixing in mortar ...	S. ft.	243
Cutting joggles and fixing slab joints in masonry ...	Each	18
Plastering with surki ...	Sq.	7'97
Rough stone work new ...	C. yd.	55
Constructing right weir 105 feet long at R. L. 51'50 burnt brick in surki ...	C. ft.	1,754
Burnt stone slabs dressed and fixed in surki mortar ...	S. ft.	673
Plastering in surki ...	Sq.	4'00
New stone work ...	C. yd.	586
Old stone work ...	C. yd.	384
Earthwork excavation ...	"	390
Jelly filling ...	"	384

V. AIYASWAMI IYER,
Executive Engineer.

TUMKUR DIVISION.

Dated 6th September 1916.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Tumkur Division, up to 30th September 1916, for restoring breached Kondajji Agrahara Tank, Gubbi Taluk. Approximate estimate of quantities are given below. These quantities are not guaranteed. Each of the work should be completed by the end of June 1917.

2. The plans, detailed estimates and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 350 in cash or Government Promissory Notes as earnest money and be superscribed "Tender for restoring breached Kondajji Agrahara Tank, Gubbi Taluk," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract estimate of restoring the breached Kondajji Agrahara Tank, Registered
No. 161—114 of Gubbi Taluk.

No.	Items of work	Per	Quantity
<i>Bund.</i>			
1	Cutting trenches and grips	Lump sum	
2	Earthwork raising bank	C. yd.	4 955
3	Removing debris, etc.	"	624
4	Breach filling with 3 gravel	"	3,802
5	Gravel backing	"	688
6	Turning	S. yd.	7,415
7	Grade stones	Each	45
8	Index stones	"	45
9	Register number stone	"	1
10	Gauge stone	"	1
11	B. M. stones	"	2
12	Removing and resetting old stone work	C. rd.	480
13	New stone work	"	1,640
<i>Constructing left sluice.</i>			
1	Earthwork excavation	"	9
2	Concrete in surki mortar	C. ft.	228
3	Burnt brick in surki mortar	"	256
4	Burnt stone slabs (6" thick)	S. ft.	149
5	Plastering with surki	Sqrs.	249
6	Removing and refixing old slabs	R. ft.	35
7	Cutting the bund and refilling	C. yd.	306
8	Providing iron rod and plug, etc.	Lump sum	
9	Cutting orifice holes	"	
<i>Reconstructing right sluice.</i>			
1	Earthwork excavation	C. yd.	15
2	Concrete in surki	C. ft.	367
3	Burnt brick in surki	"	510
4	Burnt stone slabs (6" thick)	S. ft.	293
5	Plastering with surki	Sqrs.	883
6	Rough stone work	C. yd.	27
7	Providing with iron rod, etc.	Lump sum	
8	Cutting and refilling the bund including watering and tamping	C. yd.	923
9	Cutting orifice hole	Lump sum	
<i>Constructing left waste weir.</i>			
1	Earthwork excavation	"	
2	Burnt brick in surki	"	
3	Plastering in surki	"	
4	Cement pointing	"	
5	Burnt stone slabs	"	
6	Rough stone work, new	"	
7	Resetting the old stones	"	
<i>Constructing right waste weir.</i>			
1	Earthwork excavation in rocky soil	"	
2	Burnt brick in surki	"	
3	Burnt stone slabs	"	
4	Plastering with surki	"	
5	Cement pointing	"	
6	Rough stone work	"	

Dated 5th September 1916.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Tumkur Division, up to 30th September 1916, for constructing a Taluk Lock-up at Sira. An approximate estimate of quantities are given below. These quantities are not guaranteed. The work should be completed by the end of June 1917.

2. The plans, detailed estimates and conditions may be seen at the Executive Engineer's Office at Tumkur between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 150 in cash or Government promissory notes, as earnest money, and be superscribed "Tender for constructing Taluk Lock-up at Sira," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract estimate of the probable cost of constructing a Taluk Lock-up at Sira.

No.	Items of work	Per	Quantity
1	Earthwork excavation and filling in basement	C. yd.	73
2	Concrete in chunam	C. ft.	653
3	Stone in chunam	"	1,956
4	Burnt brick in clay	"	2,906
5	Burnt brick in mortar	"	874
6	Burnt brick in mortar, arch work	"	46
7	Burnt stone slabs	S. ft.	337
8	Honne wood work, wrought and put up	C. ft.	58'20
9	Teakwood lock-up door	S. ft.	171
10	Teakwood doors panelled with lock, etc., complete	"	24
11	Teakwood windows battened and glazed shutters with iron bar, etc., complete	"	54
12	Teakwood ventilators with iron bars expanded metal including iron, etc., complete.	"	50
13	Roofing with pucca terrace	Sq.	6'37
14	Roofing with 1st class Mangalore tiles on teak reapers, etc., complete including carriage from Tumkur.	"	5'26
15	Ridge tiles set in mortar	R. ft.	39
16	Cornice (9" x 9") thick	"	235
17	Brick in chunam parapet including plastering	"	106
18	Chunam plastering	Sq.	47'60
19	White and colour washing	"	47'60
20	Pointing with chunam	"	2'62
21	Teakwood ornamental gables with iron works, complete	"	24
22	Flooring with Uddapah slabs, over 3" concrete and cement pointing including carriage from Tumkur.	"	6'78
23	Chunam borders	R. ft.	24
24	Finials	Each	2
25	Rain water pipes	"	10
26	Iron bars, 1" dia. 4 feet long for apertures	"	2
27	Silicate painting	Sq.	5'48
28	Wood oiling and tarring to wood work, etc.	Lump sum	
29	Clearing site and levelling ground	"	

Dated September 1916.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, Tumkur Division, up to 30th September 1916, for constructing a Taluk Girls' School at Chiknayakanhalli. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1917.

2. The plans, detailed estimates and conditions may be seen at the Executive Engineer's Office at Tumkur, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 350 in cash or Government promissory notes, as earnest money, and be superscribed "Tender for constructing a Taluk Girls' School, Chiknayakanhalli," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract estimate of the probable cost of constructing a Taluk Girls' School at Chik-nayakanhalli.

No.	Items of work	Per	Quantity
1	Earthwork excavation and filling basement ...	S. yd.	95
2	Burnt stone in clay ...	C. ft.	3,072
3	Burnt brick in clay ...	"	3,017
4	Burnt brick in chunam ...	"	633
5	Arch work with burnt brick in chunam ...	"	76
6	Burnt stone slabs roughly dressed ...	S. ft.	350
7	Cut stone pillars with base and capitals ...	Each	8
8	Chunam plastering ...	Sqr.	7100
9	Chunam pointing ...	"	4000
10	White and colourwashing ...	"	7500
11	Teakwood work-wrought and put up with wood oiling ...	C. ft.	12250
12	Roofing with 1st class Mangalore tiles and teak reepers, etc., complete ...	Sq.	2352
13	1½" g. tiles set in mortar ...	R. ft.	134
14	Cornice 9" thick ...	"	250
15	Zinc sheet for the valley with teak planks underneath ...	S. ft.	144
16	Teakwood doors panelled with complete outer dimension ...	"	180
17	Teakwood windows outside panelled and inside glazed with iron bars, etc., complete ...	"	270
18	Silicate painting ...	Sq.	1070
19	Masonry finials ...	Each	4
20	Teakwood sun shades ...	"	16
21	Teak eave boards 9" wide with painting ...	R. ft.	70
22	Teak finials ...	Each	2
23	Teak pendants ...	"	4
24	Moulding over windows with flower ends ...	R. ft.	224
25	Ornamental parapet wall over gables ...	"	88
26	Flooring with Cuddapah slabs over 3" concrete and cement pointing ...	Sq.	1680
27	Clearing site and levelling ground all round the school ...	Lump sum.	
28	Compensation for lands to be acquired ...	Do	
29	Wrought iron trusses ...	Cwt.	9
30	Circular sham ventilators ...	Lump sum.	

C. KRISHNA IYENGAR,
Executive Engineer.

MYSORE DIVISION.

Notice.

The attention of the public is invited to advertisement, in detail published in *Mysore Gazette*, dated 31st August 1916, calling for tenders for restoring Haradur Tank Registered No. 484 of Hunsur Taluk.

Notice dated 5th September 1916.

The public are hereby informed that a portion of French Rocks Station-Nelligere road in the 19th mile between the Honakere bridge and Honakere village is closed for the traffic since the road is washed away during the heavy rains in the last week of August. The traffic will have to go in the old road crossing the river where it is not bridged.

Y. ASVATHANARAYANA RAO,
Executive Engineer.

CHITALDRUG DIVISION.

Abstract Notification.

Tenders for opening out a fair weather road between Honagal and Ulavasankanahalli, Molakalmuru Taluk, Chitaldrug District, will be received at the office of the undersigned up to 1st October 1916. For other particulars, please see pages 644—645 of the *Mysore Gazette*, No. 35, Volume 51, dated 31st August 1916.

N. ANANDALWAR,
Offg. Executive Engineer.

COMPTROLLER'S OFFICE.

Notice No. 1943—R. 129, dated 6th September 1916.

1. Sealed tenders are invited for the supply to the Comptroller's Office, Bangalore, of some books on Accounts, Economics and Finance worth about Rs. 950, a detailed list of which can be seen in the Office.

2. The tenders should be superscribed "Tenders for the supply of books for the Comptroller's Office Library" and should give the rates at which the several classes of books will be delivered at this office, viz., books published in India, books published in England or